Information Processing Letters 35 (1990) 329–330
North-Holland

AUTHOR INDEX VOLUME 35 (1990)

(The issue number is given in front of the page numbers)

Aggarwal, A. and **T. Leighton**, A tight lower bound for the train reversal problem (6) 301–304
Aggarwal, A. and **S. Suri**, Computing the longest diagonal of a simple polygon (1) 13– 18
Ahuja, M. and **Y. Zhu**, An $O(n \log n)$ feasibility algorithm for preemptive scheduling of n independent jobs on a hypercube (1) 7– 11
Alon, N., Generating pseudo-random permutations and maximum flow algorithms (4) 201–204
Altman, T. and **G. Logothetis**, A note on ambiguity in context-free grammars (3) 111–114

Bajaj, C.L. and **T. Dey**, Polygon nesting and robustness (1) 23– 32
Barnard, D.T. and **D.B. Skillicorn**, Pipelining tree-structured algorithms on SIMD architectures (2) 79– 84
Block, K. and **T.-K. Woo**, A more efficient generalization of Peterson's mutual exclusion algorithm (5) 219–222
Boxer, L. and **R. Miller**, Common intersections of polygons (*Corrigenda*) (1) 53–56

Chang, M.S., N.-F. Huang and **C.-Y. Tang**, An optimal algorithm for constructing oriented Voronoi diagrams and geographic neighborhood graphs (5) 255–260
Chin, A., On the depth complexity of the counting functions (6) 325–328
Ching, Y.-T., K. Mehlhorn and **M.H.M. Smid**, Dynamic deferred data structuring (1) 37– 40
Cimikowski, R.J., Finding Hamiltonian cycles in certain planar graphs (5) 249–254
Crochemore, M. and **W. Rytter**, Parallel construction of minimal suffix and factor automata (3) 121–128

Deng, X., An optimal parallel algorithm for linear programming in the plane (4) 213–217
Dey, T., *see* **Bajaj, C.L.** (1) 23– 32
Dickerson, M.T. and **R.S. Drysdale**, Fixed-radius near neighbors search algorithms for points and segments (5) 269–273
Drysdale, R.S., *see* **Dickerson, M.T.** (5) 269–273

Francez, N., Cooperating proofs for distributed programs with multiparty interactions (*Corrigenda*) (5) 275–276
Fung, K.Y., T.M. Nicholl, R.E. Tarjan and **C.J. Van Wyk**, Simplified linear-time Jordan sorting and polygon clipping (2) 85– 92

Gouda, M.G. and **T. Herman**, Stabilizing unison (4) 171–175
Grädel, E., Simple interpretations among complicated theories (5) 235–238
Grigg, K., S. Miguet and **Y. Robert**, Symmetric matrix-vector product on a ring of processors (5) 239–248
Guenther, G.R., Efficient expansion of factored expressions (2) 69– 72

Hellerstein, L., P. Klein and **R. Wilber**, On the time-space complexity of reachability queries for preprocessed graphs (5) 261–267
Herman, T., Probabilistic self-stabilization (2) 63– 67
Herman, T., *see* **Gouda, M.G.** (4) 171–175
Huang, N.-F., *see* **Chang, M.S.** (5) 255–260

Inverardi, P. and **M. Nesi**, A rewriting strategy to verify observational congruence (4) 191–199
Iyengar, S.S., *see* **Kumar, D.** (1) 55– 56

Jacob, J., A model of reconfiguration in communicating sequential processes (1) 19– 22

Karner, G., A note on terminal balancing of algebraic systems (6) 291–293
Klein, P., *see* **Hellerstein, L.** (5) 261–267
Kumar, D., S.S. Iyengar and **M.B. Sharma**, Corrections to a distributed depth-first search algorithm (*Corrigenda*) (1) 55– 56
Kwiatkowska, M.Z., A metric for traces (3) 129–135

Laml-ichts, E., P. Nees, J. Paredaens, P. Peelman and **L. Tanca**, Checking functional consistency in deductive databases (3) 115–120
Launchbury, J., Strictness analysis aids inductive proofs (3) 155–159
Lee, R.C.T., *see* **Yen, C.-C.** (6) 295–299
Leighton, T., *see* **Aggarwal, A.** (6) 301–304
Lin, C.-J., Parallel algorithm for generating permutations on linear array (4) 167–170

Lodi, E., F. Luccio and L. Pagli, Routing in times square mode (1) 41–48
Logothetis, G., *see* **Altman, T.** (3) 111–114
Loui, M.C. and M.A. Sohoni, An algorithm for load balancing in multiprocessor systems (5) 223–228
Lubiw, A., Counterexample to a conjecture of Szymanski on hypercube routing (2) 57–61
Luccio, F., *see* **Lodi, E.** (1) 41–48

Maes, M., On a cyclic string-to-string correction problem (2) 73–78
Manacher, G.K., T.A. Mankus and C.J. Smith, An optimum $\Theta(n \log n)$ algorithm for finding a canonical Hamiltonian path and a canonical Hamiltonian circuit in a set of intervals (4) 205–211
Manber, U., *see* **Wu, S.** (6) 317–323
Mankus, T.A., *see* **Manacher, G.K.** (4) 205–211
Mathew, L., *see* **Siromoney, R.** (1) 33–36
Mehlhorn, K. and S. Näher, Bounded ordered dictionaries in $O(\log \log N)$ time and $O(n)$ space (4) 183–189
Mehlhorn, K., S. Näher and C. Uhrig, Hidden line elimination for isooriented rectangles (3) 137–143
Mehlhorn, K., *see* **Ching, Y.-T.** (1) 37–40
Miguet, S., *see* **Grigg, K.** (5) 239–248
Miller, R., *see* **Boxer, L.** (1) 53–54
Miller, W., *see* **Wu, S.** (6) 317–323
Mostowski, A.W., Alternating automata with start formulas (6) 287–290
Myers, G., *see* **Wu, S.** (6) 317–323

Näher, S., *see* **Mehlhorn, K.** (3) 137–143
Näher, S., *see* **Mehlhorn, K.** (4) 183–189
Nees, P., *see* **Lambrichts, E.** (3) 115–120
Nesi, M., *see* **Inverardi, P.** (4) 191–199
Nicholl, T.M., *see* **Fung, K.Y.** (2) 85–92

Pagli, L., *see* **Lodi, E.** (1) 41–48
Pandu Rangan, C., *see* **Rao Arikati, S.** (3) 149–153
Paredaens, J., *see* **Lambrichts, E.** (3) 115–120
Peelman, P., *see* **Lambrichts, E.** (3) 115–120
Piotrowski, J.A., A functional model of a simplified sequential machine (3) 161–166

Rao Arikati, S. and C. Pandu Rangan, Linear algorithm for optimal path cover problem on interval graphs (3) 149–153
Robert, Y., *see* **Grigg, K.** (5) 239–248
Rubinfeld, R., The cover time of a regular expander is $O(n \log n)$ (1) 49–51
Rytter, W., *see* **Crochemore, M.** (3) 121–128

Sharma, M.B., *see* **Kumar, D.** (1) 55–56
Sheu, J.-P. and J.-S. Tang, Efficient parallel k selection algorithm (6) 313–316
Shmoys, D.B. and D.P. Williamson, Analyzing the Held–Karp TSP bound: A monotonicity property with application 6) 281–285
Sideris, M., On attribute grammars without attribute synthesis (2) 103–109
Siromoney, R. and L. Mathew, A public key cryptosystem based on Lyndon words (1) 33–36
Skillicorn, D.B., *see* **Barnard, D.T.** (2) 79–84
Smid, M.H.M., *see* **Ching, Y.-T.** (1) 37–40
Smith, C.J., *see* **Manacher, G.K.** (4) 205–211
Sohoni, M.A., *see* **Loui, M.C.** (5) 223–228
Suri, S., *see* **Aggarwal, A.** (1) 13–18

Tai, H.-M., *see* **Wu, C.-H.** (6) 305–311
Tanca, L., *see* **Lambrichts, E.** (3) 115–120
Tang, C.-Y., *see* **Chang, M.S.** (5) 255–260
Tang, J.-S., *see* **Sheu, J.-P.** (6) 313–316
Tarjan, R.E., *see* **Fung, K.Y.** (2) 85–92
Tel, G., *see* **Van Gasteren, A.J.M.** (6) 277–279
Toda, S., On the complexity of topological sorting (5) 229–233

Uhrig, C., *see* **Mehlhorn, K.** (3) 137–143

Van Gasteren, A.J.M. and G. Tel, Comments on "on the proof of a distributed algorithm": always-true is not invariant (Letter to the editor) (6) 277–279
Van Wyk, C.J., *see* **Fung, K.Y.** (2) 85–92
Vardi, M.Y., Endmarkers can make a difference (3) 145–148

Wand, M., A short proof of the lexical addressing algorithm (1) 1–5
Wang, C., Obtaining lazy evaluation with continuations in scheme (2) 93–97
Wang, C.-J., *see* **Wu, C.-H.** (6) 305–311
Wegener, I., Efficient simulation of circuits by EREW prams (2) 99–102
Wilber, R., *see* **Hellerstein, L.** (5) 261–267
Williamson, D.P., *see* **Shmoys, D.B.** (6) 281–285
Woo, T.-K., *see* **Block, K.** (5) 219–222
Wu, C.-H., C.-J. Wang and H.-M. Tai, Application of exponential hetero-associative memory on frequency classifier (6) 305–311
Wu, S., U. Manber, G. Myers and W. Miller, An $O(NP)$ sequence comparison algorithm (6) 317–323

Yen, C.-C. and R.C.T. Lee, The weighted perfect domination problem (6) 295–299
Yuan, S.-M., The communication complexity for decentralized evaluation of functions (4) 177–182

Zhu, Y., *see* **Ahuja, M.** (1) 7–11